



## Adobe 9A0-310 认证题库

认证考试名称: Adobe Flex 2 Developer Exam

考题数量: 134 Q&As

[Pdf Demo](#)

### Adobe 9A0-310 认证考试题库

Photoshop 9A0-310题库由资深IT认证讲师和Photoshop 产品专家结合PROMETRIC或VUE的真实考试环境最新原题倾心打造.

题库覆盖了当前最新的真实考题, 并且全部附有正确答案, 我们承诺题库对 Photoshop 9A0-310考试原题完整覆盖.9A0-310 题库助您轻松通过认证考试, 一次不过全额退款.

**9A0-310 部分测试题目, 本样题没有包括考题中使用到的图片**

Exam : ADOBE 9A0-310

Title : Adobe Flex2 Developer Exam

1. Click the Exhibit button.

What is the relationship between the two classes in the UML diagram?

- A. Shape extends Circle
- B. Circle extends Shape
- C. Shape implements Circle
- D. Circle implements Shape

Answer: B

2. A Flex application contains a custom event object eventObj:

```
var eventObj:Event = new Event(myCustomEvent);
```

Which line of code correctly triggers this event?

- A. eventObj.dispatch();
- B. dispatchEvent(eventObj);
- C. eventObj.dispatchEvent();
- D. dispatchEvent(eventObj);

Answer: B

3. You have used a WebService object to call a public method of a SOAP-based web service. The remote web service is written in Java.

The signature of the Java method being called is:

```
public List getData()
```

You have declared an ActionScript method named resultHandler() with this signature:

```
private function resultHandler(event:ResultEvent):void
```

When the resultHandler() method is called from the HTTPService object result event, you want to save the returned data to a previously declared ArrayCollection named myCollection.

Which is the correct syntax?

- A. myCollection = event.result;
- B. myCollection = event.result as ArrayCollection;
- C. myCollection = new ArrayCollection(event.result as Array);
- D. myCollection = event.getData().lastResult as ArrayCollection;

Answer: B

4. Which software design pattern reduces method call volume by encapsulating multiple data attributes in a single object?

- A. Factory
- B. Singleton
- C. Assembler
- D. Transfer Object
- E. Data Access Object

Answer: D

5. Which is contained in a .jar file?

- A. XML data files in an archived format
- B. the Java Virtual Machine used in a J2EE server
- C. a set of pre-compiled Java classes in an archived format
- D. all configuration and application files in a J2EE web application in an archived format

Answer: C

6. You have used an HTTPService object to retrieve this HTML file:

```
<?xml version=1.0?> <employees>
<employee><name>Joe</name><job>President</job>
</employee>
<employee><name>Mary</name><job>CEO</job>
</employee></employees>
```

The resultFormat property of the HTTPService object is set to object, and the id property is set to myService. You want to use a DataGrid control to display the list of employees.

Which is the correct syntax for a binding expression to pass the employee objects to the dataProvider property of the DataGrid?

- A. dataProvider={myService.lastResult}
- B. dataProvider={myService.lastResult.employees}
- C. dataProvider={myService.result.employees.employee}
- D. dataProvider={myService.lastResult.employees.employee}

Answer: D

7. Which Flex 2 language feature provides the best support for loose coupling between MXML components?

- A. class inheritance
- B. singleton classes
- C. event dispatching
- D. remote object services

Answer: C

8. Which statement best describes the Model-View-Controller design pattern?

- A. It does NOT promote code reuse
- B. Alternative user interfaces are difficult to add
- C. It combines the code responding to user input with the code rendering the interface
- D. It promotes maintainability by providing separation of concerns within code

Answer: D

9. Click the Exhibit button. Which ActionScript class definition represents the UML class diagram?

```
A. class Employee {
private var empName:String;
public function CalcSalary():int {
...
```

```

}
B. class Employee {
public var empName:String;
private function CalcSalary():int {
...
}
C. class Employee {
private var empName:String;
protected function CalcSalary():int {
...
}
D. class Employee {
public var empName:String;
protected function CalcSalary():int {
...
}

```

Answer: A

10. Which property of the HTTPService class references the data returned from a request?

- A. result
- B. lastResult
- C. destination
- D. resultFormat

Answer: B

11. Which development task would most likely be part of building loosely coupled MXML components?

- A. invoking the dispatchEvent() method
- B. assigning a reference to the owner property
- C. extending the flash.events.Dispatcher class
- D. implementing the IFlexDisplayObject interface

Answer: A

12. Given the following code snippet:

Which value would be traced to the console?

- A. FRED
- B. Fred
- C. Fred Friendly
- D. An error or strict-mode warning would occur

Answer: B

13. Which statement about the dispatchEvent() method is true?

- A. It automatically dispatches an event object.
- B. It can only be used with the Application class.
- C. It can be used for both custom and other events.
- D. It returns the type property value of the event object.

Answer: C

14. Which statement best defines event bubbling?

- A. Event bubbling is NOT supported in ActionScript 3.0
- B. The event flows from the top of the display list hierarchy to the node just before the target node
- C. The event flows from the node subsequent to the target node back up the display list hierarchy
- D. The event flows from the top of the display list hierarchy to the target node

Answer: C

15. You want to send custom data with an event object that has been generated by the framework. What should you do?

- A. Add custom properties to the target property.
- B. Subclass the Event class and add properties to it.
- C. Subclass the DisplayObject class and add properties to it.
- D. Add custom properties to the Flash.events.Event class.

Answer: B

16. Which attribute prevents a class method from being visible within a sub-class?

- A. public
- B. internal
- C. private
- D. protected

Answer: C

17. Which object is the returned XML data placed into after a Web service operation executes?

- A. result
- B. collection
- C. firstResult
- D. lastResult

Answer: D

18. Which protocol supports the use of server-pushed messaging with the Flex Message Service and the Data Management Service?

- A. AMF
- B. HTTP
- C. SOAP
- D. RTMP

Answer: D

19. Which design pattern is followed by an ActionScript class that uses the [RemoteClass] metatag?

- A. Singleton
- B. Assembler
- C. Data Access Object
- D. Data Transfer Object

Answer: D

20. Which Data Management Service method will reset an item to its previous state?

- A. undo()
- B. rollBack()
- C. noCommit()
- D. revertChanges()

Answer: D

购买 [9A0-310 题库](#)

### **QuickPass 提供专业9A0-310题库**

#### 1. 3个月内免费升级服务

所有购买我们“9A0-310题库”的客户，都将获得3个月内免费升级的售后服务，确保客户的一次通过率。

#### 2. 高质量和高价值的 9A0-310 题库

9A0-310 考题由我们的资深IT认证讲师和 Photoshop 产品专家精心打造,包括了当前最新的真实 9A0-310 考题，全部附有正确答案。

#### 3. 100% 保证您通过 Photoshop 考试并且获得 Photoshop 证书

所有购买 "9A0-310 题库" 的客户都将得到3个月的免费升级服务，保证了客户的一次通过率.QuickPass 助您一次通过Photoshop 9A0-310考试。

购买、使用QuickPass 9A0-310题库，我们可确保您一次通过考试。

1. 本题库源自合作考试中心的真实考试原题，截屏后由我们的专业团队汇总整理，再经过合作培训中心资深IT认证讲师对考题校对，保证了认证考试题库的专业品质，题库试题正确率100%，对9A0-310认证考试考题覆盖率96%以上。您只需在参加 9A0-310 认证前整体学习下本题库，必定可以轻松完成考试，一次通过认证。

2. QuickPass实行“一次不过全额退款”承诺。如果您购买了我们的 9A0-310考题，只要不是首次通过，凭盖有PROMETRIC或VUE考试中心钢印的考试成绩单，我们将退还您购买 9A0-310 的全部费用，绝对保证您的利益不受到任何的损失。

3. 我们提供完善的售后服务，对所有购买题库的客户提供跟踪服务，在您购买考题后的3个月内，享受免费升级考题服务，如果在这期间，认证考试中心对 9A0-310 考题做出修改或变题，我们会在第一时间更新相关题库，并免费提供给您更新下载。

(9A0-310) 属于 Photoshop 认证考试中的一门，如果需要取得 Photoshop 证书，您可能还需要参加其他相关考试，详情可访问 [Photoshop 题库](#) 认证专题, 在那里，你将看到所有 Photoshop 认证相关考试科目。

QuickPass专业提供Photoshop 9A0-310最新题库, 完全覆盖9A0-310考试原题. 使用我们的完善的Photoshop 资源, 你将尽量减少Photoshop 考试的成本并将在你的第一次尝试中通过 9A0-310认证考试。100%退款保证!

#### 9A0-310 相关题库

9A0-094	9A0-090	9A0-096	9A0-702	9A0-088
9A0-086	9A0-066	9A0-701	9A0-064	9A0-067
9A0-084	9A0-802	9A0-060	9A0-054	9A0-038
9A0-034	9A0-310	9A0-040	9A0-055	9A0-041

#### 其他 Adobe 认证题库

9A0-028	9A0-077	9A0-702	9A0-089	9A0-093
9A0-094	9A0-701	9A0-035	9A0-043	9A0-310
9A0-017	9A0-026	9A0-031	9A0-502	9A0-040
9A0-037	9A0-901	9A0-013	9A0-090	9A0-067